



1 Decay Scheme

Pm-148 decays via beta minus transitions to nine excited levels and the ground state of Sm-148.

Le prométhéum 148 se désintègre 100 % par émission bêta vers neuf niveaux excités et le niveau fondamental du samarium 148.

2 Nuclear Data

$$T_{1/2}(^{148}\text{Pm}) : 5,370 \quad (15) \quad \text{d}$$

$$Q^{-}(^{148}\text{Pm}) : 2471 \quad (6) \quad \text{keV}$$

2.1 β^{-} Transitions

	Energy (keV)	Probability (%)	Nature	lg ft
$\beta_{0,10}^{-}$	157 (6)	0,0091 (15)	1st Forbidden	8,7
$\beta_{0,9}^{-}$	187 (6)	0,0965 (34)	Super Allowed Or Allowed	7,9
$\beta_{0,8}^{-}$	413 (6)	1,360 (22)	Allowed	7,9
$\beta_{0,7}^{-}$	549 (6)	0,0138 (14)	1st Forbidden	10,3
$\beta_{0,6}^{-}$	807 (6)	0,018 (3)	1st Forbidden	10,8
$\beta_{0,5}^{-}$	1006 (6)	33,3 (6)	Super Allowed Or Allowed	7,8
$\beta_{0,4}^{-}$	1017 (6)	0,093 (3)	1st Forbidden	10,4
$\beta_{0,3}^{-}$	1047 (6)	0,236 (9)	1st Forbidden	10,1
$\beta_{0,1}^{-}$	1921 (6)	9,3 (6)	1st Forbidden	9,5
$\beta_{0,0}^{-}$	2471 (6)	55,5 (7)	1st Forbidden	9,1

2.2 Gamma Transitions and Internal Conversion Coefficients

	Energy (keV)	$P_{\gamma+ce}$ (%)	Multipolarity	α_K (10^{-3})	α_L (10^{-4})	α_M (10^{-5})	α_T (10^{-3})	α_π (10^{-5})
$\gamma_{5,2}(\text{Sm})$	303,592 (31)	0,0397 (47)	E2	42,3 (6)	93,1 (13)	207 (3)	54,2 (8)	
$\gamma_{8,6}(\text{Sm})$	393,801 (30)	0,0155 (22)	E1	6,43 (9)	8,62 (12)	18,4 (3)	7,52 (11)	
$\gamma_{1,0}(\text{Sm})$	550,274 (17)	22,7 (6)	E2	8,25 (12)	13,60 (19)	29,6 (5)	9,98 (14)	
$\gamma_{8,5}(\text{Sm})$	592,832 (29)	0,355 (10)	M1	11,98 (17)	16,21 (23)	34,7 (5)	14,04 (20)	
$\gamma_{2,1}(\text{Sm})$	611,263 (29)	1,043 (40)	E1+0,07%M2	2,39 (5)	3,15 (6)	6,70 (13)	2,79 (5)	
$\gamma_{9,5}(\text{Sm})$	819,276 (28)	0,0134 (22)	M1	5,42 (8)	7,26 (11)	15,51 (22)	6,35 (9)	
$\gamma_{3,1}(\text{Sm})$	874,186 (43)	0,241 (10)	E2	2,80 (4)	4,06 (6)	8,74 (13)	3,32 (5)	
$\gamma_{8,2}(\text{Sm})$	896,424 (33)	0,984 (20)	M1+64%E2	3,28 (8)	4,56 (10)	9,77 (20)	3,86 (9)	
$\gamma_{4,1}(\text{Sm})$	903,943 (29)	0,0422 (20)	M1+84%E2	2,87 (5)	4,06 (7)	8,72 (14)	3,39 (6)	
$\gamma_{5,1}(\text{Sm})$	914,855 (25)	12,0 (5)	E1	1,050 (15)	1,354 (19)	2,88 (4)	1,221 (17)	
$\gamma_{6,1}(\text{Sm})$	1113,886 (27)	0,0223 (23)	M1+24%E2	2,39 (4)	3,19 (5)	6,81 (10)	2,79 (5)	0,0565 (8)
$\gamma_{10,2}(\text{Sm})$	1152,47 (15)	0,0029 (13)	E1+1%M2	0,73 (13)	0,95 (18)	2,0 (4)	0,86 (15)	0,98 (3)
$\gamma_{7,1}(\text{Sm})$	1371,31 (20)	0,0138 (14)	E2	1,119 (16)	1,507 (22)	3,22 (5)	1,347 (19)	3,64 (6)
$\gamma_{4,0}(\text{Sm})$	1454,217 (23)	0,0512 (25)	E2	1,000 (14)	1,338 (19)	2,86 (4)	1,230 (18)	6,03 (9)
$\gamma_{5,0}(\text{Sm})$	1465,129 (19)	22,2 (5)	E1	0,449 (7)	0,570 (8)	1,208 (17)	0,704 (10)	18,3 (3)
$\gamma_{8,1}(\text{Sm})$	1507,687 (28)	0,0056 (9)	E1	0,428 (6)	0,542 (8)	1,150 (17)	0,711 (10)	21,4 (3)
$\gamma_{6,0}(\text{Sm})$	1664,160 (21)	0,0113 (11)	E2	0,775 (11)	1,024 (15)	2,18 (3)	1,042 (15)	13,75 (20)
$\gamma_{9,1}(\text{Sm})$	1734,131 (27)	0,0386 (11)	E1	0,339 (5)	0,428 (6)	0,907 (13)	0,777 (11)	38,3 (6)
$\gamma_{10,1}(\text{Sm})$	1763,74 (15)	0,0062 (7)	M1+83%E2	0,732 (22)	0,96 (3)	2,05 (6)	1,04 (3)	18,3 (3)
$\gamma_{9,0}(\text{Sm})$	2284,405 (21)	0,0445 (24)	E1	0,219 (3)	0,274 (4)	0,581 (9)	1,027 (15)	77,4 (11)

3 Atomic Data

3.1 Sm

ω_K	:	0,926	(4)
$\bar{\omega}_L$:	0,158	(6)
n_{KL}	:	0,857	(4)

3.1.1 X Radiations

	Energy (keV)	Relative probability
X _K		
Kα ₂	39,5229	55,25
Kα ₁	40,1186	100
Kβ ₃	45,289	}
Kβ ₁	45,413	
Kβ ₅ ''	45,731	
Kβ ₂	46,575	}
Kβ ₄	46,705	
KO _{2,3}	46,813	
X _L		
Lℓ	4,9909	
Lα	5,6088 - 5,6376	
Lη	5,586	
Lβ	6,1928 - 6,6557	
Lγ	6,9644 - 7,4871	

3.1.2 Auger Electrons

	Energy (keV)	Relative probability
Auger K		
KLL	31,190 - 33,218	100
KLX	37,302 - 40,097	50,7
KXY	43,39 - 46,79	6,42
Auger L		
	3,27 - 7,69	

4 Electron Emissions

		Energy (keV)		Electrons (per 100 disint.)
eAL	(Sm)	3,27 - 7,69		0,1883 (16)
eAK	(Sm)		}	0,0163 (10)
	KLL	31,190 - 33,218		
	KLX	37,302 - 40,097		
	KXY	43,39 - 46,79		
ec _{1,0} K	(Sm)	503,440 (17)		0,186 (6)
ec _{1,0} L	(Sm)	542,537 - 543,558		0,0306 (9)
ec _{5,1} K	(Sm)	868,021 (25)		0,0126 (6)
$\beta_{0,10}^-$	max:	157 (6)	}	0,0091 (15)
	avg:	42,1 (18)		
$\beta_{0,9}^-$	max:	187 (6)	}	0,0965 (34)
	avg:	50,7 (18)		
$\beta_{0,8}^-$	max:	413 (6)	}	1,360 (22)
	avg:	121,9 (21)		
$\beta_{0,7}^-$	max:	549 (6)	}	0,0138 (14)
	avg:	169,0 (22)		
$\beta_{0,6}^-$	max:	807 (6)	}	0,018 (3)
	avg:	264,4 (23)		
$\beta_{0,5}^-$	max:	1006 (6)	}	33,3 (6)
	avg:	342,7 (24)		
$\beta_{0,4}^-$	max:	1017 (6)	}	0,093 (3)
	avg:	347,1 (25)		
$\beta_{0,3}^-$	max:	1047 (6)	}	0,236 (9)
	avg:	359,1 (25)		
$\beta_{0,1}^-$	max:	1921 (6)	}	9,3 (6)
	avg:	731,6 (27)		
$\beta_{0,0}^-$	max:	2471 (6)	}	55,5 (7)
	avg:	977,7 (28)		

5 Photon Emissions

5.1 X-Ray Emissions

		Energy (keV)	Photons (per 100 disint.)		
XL	(Sm)	4,9909 - 7,4871	0,0363 (8)		
XK α_2	(Sm)	39,5229	0,0581 (16)	}	K α
XK α_1	(Sm)	40,1186	0,1051 (28)		
XK β_3	(Sm)	45,289	0,0328 (10)	}	K' β_1
XK β_1	(Sm)	45,413			
XK β_5''	(Sm)	45,731			
XK β_2	(Sm)	46,575	0,00847 (30)	}	K' β_2
XK β_4	(Sm)	46,705			
XKO $_{2,3}$	(Sm)	46,813			

5.2 Gamma Emissions

	Energy (keV)	Photons (per 100 disint.)
$\gamma_{5,2}(\text{Sm})$	303,59 (3)	0,0377 (45)
$\gamma_{8,6}(\text{Sm})$	393,80 (3)	0,0155 (22)
$\gamma_{1,0}(\text{Sm})$	550,27 (3)	22,5 (6)
$\gamma_{8,5}(\text{Sm})$	592,83 (3)	0,35 (1)
$\gamma_{2,1}(\text{Sm})$	611,26 (3)	1,04 (4)
$\gamma_{9,5}(\text{Sm})$	819,27 (3)	0,0133 (22)
$\gamma_{3,1}(\text{Sm})$	874,18 (3)	0,24 (1)
$\gamma_{8,2}(\text{Sm})$	896,42 (3)	0,98 (2)
$\gamma_{4,1}(\text{Sm})$	903,94 (3)	0,042 (2)
$\gamma_{5,1}(\text{Sm})$	914,85 (3)	12,0 (5)
$\gamma_{6,1}(\text{Sm})$	1113,88 (3)	0,0222 (23)
$\gamma_{10,2}(\text{Sm})$	1152,5 (2)	0,0029 (13)
$\gamma_{7,1}(\text{Sm})$	1371,3 (2)	0,0138 (14)
$\gamma_{4,0}(\text{Sm})$	1454,21 (3)	0,0511 (25)
$\gamma_{5,0}(\text{Sm})$	1465,12 (3)	22,2 (5)
$\gamma_{8,1}(\text{Sm})$	1507,68 (3)	0,0056 (9)
$\gamma_{6,0}(\text{Sm})$	1664,15 (3)	0,0113 (11)
$\gamma_{9,1}(\text{Sm})$	1734,12 (3)	0,0386 (11)
$\gamma_{10,1}(\text{Sm})$	1763,7 (2)	0,0062 (7)
$\gamma_{9,0}(\text{Sm})$	2284,39 (3)	0,0444 (24)

6 Main Production Modes

- $\left\{ \begin{array}{l} ^{148}\text{Nd}(\text{p},\text{n})^{148}\text{Pm} \\ \text{Possible impurities : } ^{148\text{m}}\text{Pm} \end{array} \right.$
- $\left\{ \begin{array}{l} ^{148}\text{Nd}(\text{d},2\text{n})^{148}\text{Pm} \\ \text{Possible impurities : } ^{148\text{m}}\text{Pm} \end{array} \right.$
- $\left\{ \begin{array}{l} ^{147}\text{Pm}(\text{n},\gamma)^{148}\text{Pm} \quad \sigma : 80 \text{ barns} \\ \text{Possible impurities : } ^{148\text{m}}\text{Pm} (70 \text{ barns}); ^{149,150}\text{Pm} \text{ from } ^{148,149}\text{Pm}(\text{n},\gamma) \end{array} \right.$
- $\left\{ \begin{array}{l} ^{238}\text{U}(\text{p},\text{f})^{148}\text{Pm} \\ \text{Possible impurities : } ^{148\text{m}}\text{Pm} \end{array} \right.$

7 References

- J.D.KURBATOV, M.L.POOL. Phys. Rev. 63 (1943) 463, 1
(Half-life, Beta transition energy)
- G.W.PARKER, P.M.LANTZ, M.G.INGHRAM, D.C.HESS JR, R.J.HAYDEN. Phys. Rev. 72 (1947) 85
(Half-life, Beta and gamma transition energies)
- G.T.SEABORG, I.PERLMAN. Rev. Mod. Phys. 20 (1948) 585
(Half-life, Beta and gamma transition energies)
- R.L.FOLGER, P.C.STEVENSON, G.T.SEABORG. Report UCRL-1195, Univ. California (1951) 22
(Half-life, Beta and gamma transition energies)
- V.KISTIAKOWSKY. Phys. Rev. 87 (1952) 859
(Half-life, Beta and gamma transition energies)
- J.K.LONG, M.L.POOL. Phys. Rev. 85 (1952) 137
(Half-life, Beta and gamma transition energies)
- R.L.FOLGER, P.C.STEVENSON, G.T.SEABORG. Phys. Rev. 98 (1955) 107
(Half-life, Beta and gamma transition energies, IT branching fraction)
- N.P.HEYDENBURG, G.M.TEMMER. Phys. Rev. 100 (1955) 150
(Sm-148 levels)
- H.MARK, G.T.PAULISSEN. Phys. Rev. 100 (1955) 813
(Sm-148 levels)
- J.A.EISELE. Thesis, Ohio State Univ. (1959)
(Half-life, Beta and gamma transition energies, Sm-148 levels)
- S.K.BHATTACHERJEE, B.SAHAI, C.V.K.BABA. Nucl. Phys. 12 (1959) 356
(Half-life, Beta and gamma transition energies and intensities, IT branching fraction, Sm-148 levels)
- C.F.SCHWERTFEGER, E.G.FUNK, J.W.MIHELICH. Bull. Am. Phys. Soc. 5 (1960) 425, P
(Half-life, Beta and gamma transition energies, Sm-148 levels)
- J.A.EISELE. Diss. Abst. Int. 20 (1960) 3794
(Half-life, Beta and gamma transition energies, Sm-148 levels)
- R.P.SCHUMAN, J.R.BERRETH, R.L.HEATH, C.W.REICH. Bull. Am. Phys. Soc. 5 (1960) 494, C
(Beta and gamma transition energies and intensities, IT branching fraction, Sm-148 levels)
- M.K.BRICE, C.W.REICH, R.G.HELME. Report IDO-16710 (1961)
(Half-life, Gamma transition energies and intensities, ICCs and multipolarities, IT branching fraction)
- J.S.ELDRIDGE, W.S.LYON. Nucl. Phys. 23 (1961) 131
(Half-life, Beta and gamma transition energies and intensities, IT branching fraction)
- R.W.GRANT, D.A.SHIRLEY. Report UCRL-10624, Univ. California (1962)
(Pm-148 and Sm-148 level spins)
- C.W.REICH, R.P.SCHUMAN, J.R.BERRETH, M.K.BRICE, R.L.HEATH. Phys. Rev. 127 (1962) 192
(Half-life, Beta and gamma transition energies and intensities, IT branching fraction, Conversion electrons, Sm-148 levels)
- C.F.SCHWERTFEGER, E.G.FUNK JR, J.W.MIHELICH. Phys. Rev. 125 (1962) 1641
(Half-life, Beta and gamma transition energies and intensities, IT branching fraction, Conversion electrons, Sm-148 levels)
- G.T.EWAN, C.V.K.BABA, J.F.SUAREZ. Bull. Am. Phys. Soc. 8 (1963) 73, VA
(Beta transition energies, intensities and shape, Sm-148 levels)
- D.ALI, R.MARRUS. Bull. Am. Phys. Soc. 8 (1963) 619, S
(Pm-148 level spin)

- C.V.K.BABA, G.T.EWAN, J.F.SUAREZ. Phys. Lett. 3 (1963) 232
(Pm-148 and Sm-148 level spins)
- C.V.K.BABA, G.T.EWAN, J.F.SUAREZ. Nucl. Phys. 43 (1963) 264
(Beta and gamma transition energies and intensities, IT branching fraction, Conversion electrons, Pm-148 and Sm-148 levels)
- C.V.K.BABA, G.T.EWAN, J.F.SUAREZ. Nucl. Phys. 43 (1963) 285
(Sm-148 levels)
- R.W.GRANT, D.A.SHIRLEY. Phys. Rev. 130 (1963) 1100
(Pm-148 and Sm-148 level spins)
- J.W.HARPSTER, K.J.CASPER. Nucl. Phys. 52 (1964) 497
(Gamma multiplicities, Sm-148 levels)
- R.A.KENEFICK, R.K.SHELINE. Phys. Rev. 133 (1964) B25
(Sm-148 level energies)
- D.ALI. Nucl. Phys. 71 (1965) 441
(Pm-148 level spin)
- J.E.CLIN, R.L.HEATH. Report IDO-17222 (1967)
(Gamma transition energies and intensities)
- L.D.WYLY, E.T.PATRONIS JR, C.H.BRADEN. Phys. Rev. 172 (1968) 1153
(Sm-148 level spins)
- M.J.CABELL, M.WILKINS. J. Inorg. Nucl. Chem. 32 (1970) 1409
(Half-life)
- J.W.FORD JR. Diss. Abst. Int. 31B (1970) 3631
(Gamma transition energies and absolute intensities, Multipolarities, Sm-148 levels and spins)
- J.W.FORD JR. Thesis, Vanderbilt Univ. (1970)
(Gamma transition energies and absolute intensities, Multipolarities, Sm-148 levels and spins)
- E.P.GRIGOREV, A.V.ZOLOTAVIN, V.O.SEGREEV, M.I.SOVTSOV. Program and Theses, Proc. 20th Ann. Conf. Nucl. Spectrosc. At. Nuclei, Leningrad (in Russian) (1970) 100
(Conversion electrons, Multipolarities, Pm-148 and Sm-148 levels)
- M.J.CABELL, M.WILKINS. J. Inorg. Nucl. Chem. 33 (1971) 1957
(Half-life, Beta and gamma transition energies and absolute intensities)
- L.K.PEKER. Izv. Akad. Nauk SSSR Ser. Fiz. 34 (1970) 2214; Bull. Acad. Sci. USSR Phys. Ser. (English translation) 34 (1971) 1975
(Pm-148 level spin)
- K.SHODA, A.SUZUKI, M.SUGAWARA, T.SAITO, H.MIYASE, S.OIKAWA, B.N.SUNG. Phys. Rev. C3 (1971) 2006
(Pm-148 level spin)
- R.S.MOWATT, W.H.WALKER. Can. J. Phys. 49 (1971) 108
(Half-life, Beta and gamma transition energies and intensities)
- R.A.AMADORI, J.R.HORGAN JR, K.S.R.SASTRY. Proc. Nucl. Phys. Solid State Phys. Symp., Bombay, India 14B (1972) 337
(Pm-148 level spin, Sm-148 level spins, beta transition, logft)
- W.LOURENS, V.LAKSHMINARAYANA, J.H.HAMILTON, A.V.RAMAYYA, D.R.DUNN, S.M.BRAHMAVAR, J.J.PINAJIAN. Bull. Amer. Phys. Soc. 19 (1974) 1124, FB7
(Sm-148 levels)
- D.R.DUNN, A.V.RAMAYYA, J.W.FORD JR, J.H.HAMILTON, W.LOURENS, J.J.PINAJIAN. Bull. Am. Phys. Soc. 19 (1974) 1124, FB8
(Gamma transition energies, Sm-148 levels)
- C.A.KALFAS. J. Phys. (London) G3 (1977) 929
(Gamma transition energies and intensities, Multipolarities, Mixing ratios, Sm-148 levels and spins)
- F.P.LARKINS. At. Data Nucl. Data Tables 20 (1977) 311
(Electron Binding Energies)
- B.S.DZHELEPOV, S.A.SHESTOPALOVA. Izv. Akad. Nauk SSSR Ser. Fiz. 43 (1979) 2261; Bull. Acad. Sci. USSR Phys. Ser. (English translation) 43 (1979) 16
(Gamma transition intensity ratio)
- V.LAKSHMINARAYANA, B.VAN NOOIJEN, W.LOURENS, A.V.RAMAYYA, J.H.HAMILTON, J.W.FORD JR, D.R.DUNN, J.J.PINAJIAN. Priv. Comm. to NNDC (unpublished report) (1984)
(Gamma transition energies and intensities, Multipolarities, Sm-148 levels and spins)
- E.B.NORMAN, K.T.LESKO, A.E.CHAMPAGNE. Phys. Rev. C37 (1988) 860
(Pm-148 level energies and spins, Branching fraction)
- K.T.LESKO, E.B.NORMAN, R.-M.LARIMER, J.C.BACELAR, E.M.BECK. Phys. Rev. C39 (1989) 619
(Pm-148 level energies and spins, Branching fraction)

- E.SCHÖNFELD, H.JANSSEN. Nucl. Instrum. Methods Phys. Res. A369 (1996) 527
(Atomic Data)
- R.B.FIRESTONE. Table of Isotopes 8th Ed., John Wiley and Sons Inc. 2 (1996)
(Electron Binding energies)
- E.SCHÖNFELD, G.RODLOFF. PTB Report 6.11-98-1 6.11 (1998) 1
(Auger electrons)
- E.SCHÖNFELD, G.RODLOFF. PTB Report 6.11-1999-1 6.11 (1999) 1
(K X-rays)
- M.R.BHAT. Nucl. Data Sheets 89 (2000) 797
(Sm-148 levels, Multipolarities, Mixing ratios)
- E.SCHÖNFELD, H.JANSSEN. Appl. Radiat. Isot. 52 (2000) 595
(X-ray and Auger Electron emission probabilities)
- C.DULIEU, M.M.BÉ, V.CHISTÉ. Proc. Int. Conf. on Nuclear Data for Science and Technology, 22-27 April 2007, Nice, France (2008) 97
(SAISINUC software)
- T.KIBÉDI, T.W.BURROWS, M.B.TRZHASKOVSKAYA, P.M.DAVIDSON, C.W.NESTOR JR. Nucl. Instrum. Methods Phys. Res. A589 (2008) 202
(Theoretical ICCs)
- M.WANG, G.AUDI, A.H.WAPSTRA, F.G.KONDEV, M.MACCORMICK, X.XU, B.PFEIFFER. Chin. Phys. C36 (2012) 1603
(Q)

